



Category: Air Compressor
UPC: 743369720171

2.0 Gallon
1 HP Motor
125 PSI MAX
3.0 CFM @90PSI
60 Decibels




SPECIFICATION SHEET

Model: 2010ALFC

PRODUCT OVERVIEW


The CALIFORNIA AIR TOOLS 2010ALFC **Ultra Quiet** 1.0 Hp 2-Gallon air compressor is designed to be one of the quietest air compressors in the industry having only 60 decibels of sound



FEATURES

- The powerful 1.0 HP motor operates at only 1400 RPM creating less noise and less wear.
- The MP Series of Ultra Quiet Air Compressor Motors have been designed to increase duty cycle and allow for longer continuous run times
- The Dual Piston Pump System produces 25% more air compared to other 1.0 Hp air compressor motors. The MP100LF motor/pump is tested for a minimum life of 4000 hours before wear (with an average life of upwards of 6000 hours).

SPECIFICATIONS AND PERFORMANCE



Weight
34 Pounds

Noise Level
60 Decibels

Maximum Pressure
120 PSI

Voltage
110V / 60 Hz

Low Amp Draw
7.6 Amps



ULTRA QUIET & OIL-FREE, LIGHTWEIGHT AIR COMPRESSOR (INDUSTRIAL SERIES)

Powerful
1.0 HP Motor

Two Pressure
Control Gauges

Output Pressure
Regulator

One-Female Industrial
"Push to Connect"
Quick Connector

2 Gallon Aluminum
Rust-Free Air Tank

Drain Valve

Oil-Free Dual
Piston Pump

4000+ Hour Life
Cycle Before Wear

Cleaner Air For
Better Tool
Operation

Less Maintenance
And Costs



BENEFITS

The 2.0 Gallon Aluminum (Rust-Free) Air Tank is Lightweight (35 lbs) and very easy to transport.

This air compressor is ideal for anyone working inside where noise is a major issue. Only 60 dB noise level.

SPECIFICATIONS

Specification	Details
Material	Aluminum
Color	Silver
Weight	34.5 Pounds
Height	14.75 inches
Item Dimensions L x W x H	18.7"L x 14.2"W x 14.75"H
Capacity	2 Gallons
Maximum Current	2 Gallons
Voltage	110 Volts
Noise Level	60 dB

FEATURES


1. **Ultra Quiet** – Only 60 decibels
2. Oil-Free Pump – Cleaner air for better tool operation. Less maintenance and Costs.
3. Two pressure control gauges
4. One – Female industrial “Push to Connect” quick connector
5. Thermal Overload Protector
6. 125 PSI Maximum Pressure
7. 110v / 60 hz – Generator 2500 (running) Watts Min.
8. Low Amp Draw – 7.6 Amps
9. Time to fill tank from empty to full – 40 Seconds
10. Recovery time from 90 PSI to 120 PSI – 15 Seconds
11. Duty Cycle – 70/30*
12. Maximum continuous running 30-60 min. (Depending PSI & CFM)
13. Aluminum Air Tank – Rust-Free for long life, lightweight only 34.5 pounds
14. L (18.7") x W (14.2") x H (14.75")
15. 1 Year Limited Warranty
16. Comes Complete with Air Filter
17. Assembled in USA with global components
18. Commercial Use: Refer to State & City Codes

Product Overview:

[CALIFORNIA AIR TOOLS 2010ALFC Ultra Quiet 1.0 Hp, Oil-Free, Lightweight 2-Gallon Air Compressor](#)

COMPATIBLE ACCESSORIES

- 16 Piece Air Hose & Air Tool Accessory Kit (CAT-376)
- California Air Tools Hybrider Flex 1/4in 25 Foot Hybrid Air Hose
- 317 Water (moisture) & Oil Separator Air Filter 1/4 NPT
- EZ2321ADS Automatic Drain Valve Short Extension Kit (110v 60 hz)



Part Number	CAT-2010ALFC
UPC	743369720171
Shipping Dimensions	19"L x 17"W x 16"H
Shipping Weight	40 lbs
Shipping Class	85
Ship Type	Parcel
Cage Code	7VRJ0
HTSUS	8414.80.1685
Country of Origin	USA